

The Unparalleled Solution. **For Your Business.**

Jumpstart your productivity with the new Multi-Function Centre series.
Combining workflow optimisation with advanced security features,
you can rely on enhanced performance that meets the day's challenges.



MFC-L6900DW

Designed to Exceed Expectations

Discover how Brother Multi-Function Centre can bring your performance to the next level.

Built for Productivity

Maximise productivity with **high print speed up to 50ppm¹** and **2-sided scan speed up to 100ipm²**. What's more, the **wireless or Gigabit Ethernet connectivity** allows easy sharing of printer within the workgroup.

Process large print jobs effortlessly and avoid the need of frequent paper reloads with the optional upgrades of two additional paper trays or tower tray, giving you a **total input capacity of up to 2,650 sheets**.



Trays capacity may vary with paper types

Built for Reliability

Print as much as you need with a robust and dependable machine that has a **monthly print cycle of up to 150,000 pages**.

Built for Savings

Minimise printing costs with **20,000 pages³ ultra high-yield toner**. Choose from different toner settings to increase your savings per printout.

¹In accordance with ISO/IEC 11160-2:1996

²Applicable to mono Dual CIS scanning only, in accordance with ISO/IEC 17991

³Applicable to TN-3498, In accordance with ISO/IEC 19752

Simplify business operations and safeguard your documents

Easily manage your Brother network-connected products from one central location using

BRAAdmin Professional Software

This network management tool allows **remote configurations, monitoring of useful information** such as page count, toner and drum status. With the option of setting print quota of each user, you can better **control printing cost**. Instant **notification of printer downtime** also lets you attend to the problem before it impacts productivity. What's more, this software features a **suite of security solutions** to assure you of your documents' confidentiality.



Secure Function Lock 3.0

gives greater control over group or individual usage by limiting printer functions.



Internet Protocol Security (IPSec)

encrypts print jobs from the user's computer to the printer.



Print Archive

saves a PDF copy of every print job for easy E-Documentation.



Secure Reset

removes stored data when reverting the machine to its original settings.



Near Field Communication (NFC)

card reader activates print jobs without the hassle of a password.

Works with selected NFC cards.



Active Directory

enables easy central management of user login authentication in an organisation.

Flexible workflow solutions customised for your business

- The **Brother Special Solutions Customisation (SSC)** enables Brother products to be modified depending on your needs. Through careful collaboration, we help you design the best solution that meets specific business challenges.
- The **Brother Solutions Interface (BSI)** is a web-based service platform that lets software developers easily create customised solutions.

Optional accessories available with this range



TT-4000

4 x 520 sheets tower tray with stabiliser base and wheels



LT-5505

Up to 250 sheets optional paper tray
• 2 x 250 sheets paper trays supported



LT-6505

Up to 520 sheets optional paper tray
• 2 x 520 sheets paper trays supported



TN-3428

3,000 pages
Standard Yield
Toner



TN-3448

8,000 pages
High-Yield
Toner



TN-3478

12,000 pages
Super High-Yield
Toner



TN-3498

20,000 pages
Ultra High-Yield
Toner



DR-3455

30,000 pages
Drum

Optional accessories require additional purchase
Approx. yields based on ISO/IEC 19752. Declared drum yield based on 1 page/job.

MFC-L6900DW	
Key Functions	Automatic 2-sided Print, Scan, Copy and Fax, Wireless Connectivity and NFC Card Reader
PRINT FUNCTIONS	
Print Speed (A4/Letter)	Up to 50 / 52 ppm*
Print Resolution	Up to 1200 x 1200 dpi
First Print Out Time (Ready)	Less than 7.5 secs
Double-sided Feature	Automatic 2-sided Print / Scan / Copy / Fax
Special Print Functions	N-in-1 Printing, Poster Printing (Windows® only), Watermark Printing (Windows® only) Header-Footer Printing (Windows® only), Secure Print
Print Language	PCL6, BR-Script3, IBM Proprinter XL, Epson FX-850, PDF Version 1.7, XPS Version 1.0
Quiet Mode	Yes
COPY FUNCTIONS	
Copy Speed (A4/Letter)	Up to 50/52 cpm
Copy Resolution	1200 x 600 dpi
Reduction / Enlargement Ratio	25% - 400% in 1% increments
Multi Copy	Up to 99 copies
SCAN FUNCTIONS	
Scan Type	Monochrome / Colour - ADF or Flatbed
Dual Scanner (Method)	Yes (Dual CIS)
Resolution (Optical/Enhanced)	Up to 1200 x 1200 dpi / Up to 19,200 x 19,200 dpi
Scan Functions	Scan to Email, Image, OCR, File, Email Server, FTP, SFTP, USB and Network (Windows only)
Scanning Speed (Mono/Color) Multiple sheets	Up to 50/20 ipm***
FAX FUNCTIONS	
Modem Speed	33.6Kbps Super G3
Transmission Speed (Mono)	Approximately 2.5 secs (ITU-T Test Chart, Std resolution, JBIG)
Memory Transmission / Out-of Paper Reception	Up to 500 pages (ITU-T Test Chart, Std Resolution, JBIG)
Speed Dial	300 Locations
Group Dials	20 Groups
Broadcasting	350 Locations
PC Faxing	Sending (Available for Windows®, Mac® [FaxShare Software by Brother], Linux® [LPR / CUPS PC-FAX Send Driver]) Receiving (Available for Windows®)
Other fax features	Duplex Fax Send, Internet Fax (Simple mode), Auto Reduction, Delay Timer (Up to 50), Error Correction Mode, Fax Retrieval, Remote Access, Quick Scan (Approximately 2.5 secs), Fax Forward
PAPER HANDLING	
Input Tray (Standard)	520 Sheets
Multi-Purpose Tray / Manual Slot	50 Sheets 60-200g/m ² (Paper weight) 76.2 to 215.9 mm (W) X 127 to 355.6 mm (L) (Paper size)
Output Tray (Face Down)	250 Sheets
Optional Paper Tray (Input)	250 sheets [LT-5505] or 520 sheets [LT-6505] x 2 pcs (Max. 1,040 sheets) OR Tower Tray 520 sheets x 4 cassettes [TT-4000] (Max. 2,080)
Automatic Document Feeder (ADF)	80 sheets
Media Size (Standard Tray)	A4, Letter, A5, A5 (Long Edge), A6, Executive, Legal, Folio, Mexico Legal, India Legal
OTHERS	
Memory	1GB
Processor Speed	Cortex-A9 (800MHz)
Display	4.85" TFT Colour LCD
Windows® (Host-Based)	Windows® XP Home Edition, XP Professional Edition, XP Professional x64 Edition, Server 2003 (Network only), Server 2003 x64 Edition (Network only), Vista, Server 2008 (Network only), Server 2008 R2 (Network only), 7, 8, 8.1, 10, Server 2012 (Network only), Server 2012 R2 (Network only)
Apple Mac®	Mac® OS X v10.8.5, 10.9.x, 10.10.x (Download only)
Linux® (Linux® Printer Driver)	CUPS, LPD/LPRng (x86 / x64 environment)
Universal Printer Driver	Yes (BRScript / PCL)
Connectivity / Networking	Built-in Wireless 802.11b/g/n, Wi-Fi Direct, Built-in Gigabit Ethernet 10Base-T / 100Base-TX / 1000 Base-T, Hi-Speed 2.0
Near-Field Connectivity (NFC)	Yes (Card Reader / Print&Scan / Link to Solutions Center)
Power Consumption (Sleep/Ready)	8.0W/34W
Power Source	220-240V, AC 50/60Hz
WebConnect (Brother's Apps)	Yes
SUPPLIES	
Standard-Yield Toner	TN-3428: Approximately 3,000 pages**
High-Yield Toner	TN-3448: Approximately 8,000 pages**
Super High-Yield Toner	TN-3478: Approximately 12,000 pages**
Ultra High-Yield Toner	TN-3498: Approximately 20,000 pages**
Drum	DR-3455: Approximately 30,000 pages**
DIMENSIONS & WEIGHT	
Dimension (W X D X H)	495 x 427 x 518 mm
Weight	19.1KG

* In accordance with ISO/IEC 11160-2:1996

** In accordance with ISO/IEC 19752

*** In accordance with ISO/IEC 17991



Working with you for a better environment
www.brotherearth.com



One-stop centre for free downloadable templates



Brother strongly recommends the use of genuine Brother consumable products only. Benefits include better quality print, greater yields per consumable, protection of your machine from damages and achievement of optimum performance. As a precaution, please note that your machine warranty may not cover any damages arising from the use of non-genuine consumables.

www.brother.com

Microsoft, Windows, the Windows logo and/or other Microsoft products referenced herein are either registered trademarks of Microsoft Corporation in the U.S. and/or other countries. Brother and its logo are trademarks of Brother Industries Ltd., Japan. All specifications are subject to change without notice. All registered trademarks referenced herein are the property of their respective companies.
Brother International Corporation, Japan.