


# Reliable Prints in High Volume

Brilliant Colours, Compact Size







### DCP-T530DW

Print I Scan I Copy Value for money User friendly LCD panel Duplex function Wireless & Mobile print





#### Compact size, tidy space

Keep your space neat and tidy with out latest ink tank series. **Reducing 24%**^ of the space needed, plus our **front loading paper tray**, you can now place our printer anywhere orderly.

#### No wires, just family fun!

Experience hassle-free printing! Our wireless printer\* lets you print straight from your smartphone, so you can share family memories and important documents without a computer.

## Thoughtful functions for your family

We prioritize your printing experience! Our printer features a **plug-and-play design** for quick setup, **easy-to-use buttons**, and a **clear display panel**<sup>+</sup> for effortless navigation. Plus, our **spill-free refill technology** means you can change ink without the hassle—printing has never been this simple!















Print I Scan I Copy Value for money User friendly LCD panel Duplex function Convenient Automatic Document feeder









#### DCP-T830DW

Print I Scan I Copy
Cost efficiency
User friendly LCD panel
Duplex function
Convenient Automatic
Document feeder
80 sheets multi-purpose tray







Print I Scan I Copy I Fax
Cost efficiency
Convenient 1.8" colour LCD
Duplex function
Convenient Automatic
Document feeder
80 sheets multi-purpose tray





#### Pro prints in different sizes

Ensure your documents look perfect from start to finish! Our printer provides **professional consistency** with **high-quality** prints in sizes like A4, A5+, A6+, LTR, and photo. Whether it's a presentation or a client photo, count on us for outstanding results that elevate your business.

#### **Engineered for work success**

Our printer is engineered for business success, offering features like convenient **shortcut keys**\* for one-tap actions that boost your productivity.

The transparent ink tank makes it **easy to check** ink levels at a glance, while **hands-free refilling** keeps you focused on your work.

With ADF scanning\* for up to 20 sheets at a time, you can handle documents quickly and efficiently, empowering your business to thrive!

#### Print on the go workflow

Staying connected is key. Our printer's mobile and email printing capabilities empower you to bring your ideas to life, no matter where you are. Imagine effortlessly printing important documents directly from your smartphone or sending files straight from your email+!



#### **Specifications**

	DCP-T530DW	DCP-T730DW	
Functions	Print. Sc	ean, Copy	
GENERAL	r mg soun sep;		
Memory	128MB		
Display	1-Line LCD (16 characters)		
Machine Color COLOUR PRINT		ack	
Print Speed	Up to 16.0 ipm (mono) and 9.0 ipm (colour)	Up to 16.0 ipm (mono) and 15.5 ipm (colour)	
(ESAT) <sup>(ii)</sup> Print Speed (Eco Mode)	Up to 27.0 ppm (mono) and 11.0 ppm (colour)	Up to 27.0 ppm (mono) and 23.0 ppm (colour)	
First Print Out	Up to 6.2 sec (mono) and 9.6 sec (colour)	Up to 6.2 sec (mono) and 6.5 sec (colour)	
Print Resolution	Up to 1,200 x 6,000 dpi (Windows) / Up to 1,200 x 3,600 dpi (Mac)	Up to 1,200 x 6,000 dpi	
2-Sided Print	Automatic (U	Up to A4/LTR)	
Borderless Printing	Y	es	
COLOUR COPY	FUNCTION		
Maximum Copy Size	Up to A4/LTR		
Copy Speed (ESAT/sESAT)	Up to 11.0 ipm (mono) and 3.5 ipm (colour)(ii)	Up to 11.0 ipm (mono) and 8.0 ipm (colour) <sup>(iv)</sup>	
Copy Speed	Up to 13.0 sec (mono) and 28.5 sec (colour)	Up to 13.0 sec (mono) and	
(FCOT) <sup>(v)</sup> Copy Reso-	1,200 x 1,800 dpi	25.0 sec (colour) 1,200 x 2,400 dpi	
ution Enlargement			
/ Reduction Ratio	25% - 400% in 1% increments		
N in 1 Copy	2-in-1 / 2-in-1 (ID) / 4-in-1		
COLOUR SCAN	FUNCTION		
Maximum Scan Size	Up to	A4/LTR	
Scan Reso- lution	Optical: Up to 1,200 x 2,400 dpi Interpolated: Up to 19,200 x 19,200 dpi (For Windows 10/11 with TWAIN)	Optical: Up to 1,200 x 2,400 dpi (ADF: Up to 1,200 x 600 dpi) Interpolated: Up to 19,200 x 19,200 dpi (For Windows 10/11 with TWAIN)	
Scan Speed (@ 100 dpi)	From scanner FB: 3.35 sec / 4.38 sec (mono/color)		
"Scan To" Feature	Image, OCR, Email, File		
CONNECTIVITY/			
Interface Mobile Solu-	High Speed USB 2.0, WiFi-Direct, Wireless Lan (2.4 GHz / 5.0 GHz)		
tions	Brother Mobile Connect App (for Android/iOS/Harmony OS), AirPrint (for iOS), Mopria, Brother Print Service Plugin (for Android)		
Desktop Solutions	iPrint&Scan Desktop App		
Email Print PAPER HANDLIN		es	
Paper Input		eets (80 g/m²)	
(Standard Tray) Paper Input	Up to 150-sheets (80 g/m²)		
(Manual Feed Slot)	1 Sheet		
Paper Output	Up to 50-she	pets (up to A4)	
Automatic Document Feeder	NA	Up to 20-sheets (80g/m²)	
Paper Handling Sizes (Standard Tray)	A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm/4x6"), Indexcard(127x203mm/5x8"), Photo-2L(127x178mm/5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(89x127mm/3.5x5"), Mexico Legal, India Legal (*HK and TWN support B5(JIS)/B6(JIS) too.)		
Paper Handling Sizes (Manual Feed Slot)	A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm/4x6"), Indexcard(127x203mm/5x8"), Photo-2L(127x178mm/5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(89x127mm/3.5x5"), Mexico Legal, India Legal ("HK and TWN support B5(JIS)/B6(JIS) too.)		
Media Type (Standard Tray)	Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-220g/m²]		
Media Type (Manual Feed Slot)	Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-300g/m²]		
	AND SOFTWARE		
Supported	Windows: 10 / 11 / Server 2016 / 2019 / 2022 macOS <sup>IM</sup> v12/13/14		
Operating Systems <sup>(xii)</sup>	Linux OS Chrome OS Unity OS		
Management	Kylin OS		
Tools	BRAdmin Light <sup>™</sup> , EWS		
SUPPLIES	BTD100 BK· Approxima	ate Yield 7,500 A4 pages	
nk Bottle <sup>(xi)</sup>		ate Yield 7,500 A4 pages nate Yield 5,000 A4 pages	
<u> </u>	/IDTH X DEPTH X HEIGHT (WEIGHT)] 390mm x 343mm x 148.5mm		
Without Carton	(7.2kg)	390mm x 343mm x 182.5mm (8.6kg)	
OTHERS			
Varranty	3 years or 30,000 pages carry-in warranty (whichever is earlier)		

- Based on ISO/IEC 24734.
- For more information, please refer to www.brother.com/rd/printspeed.

  Based on ISO/ICE 17629.
- For more information, please refer to www.brother.com./rd/printspeed.
- Based on ISO/IEC 29183 for models without Automatic Document Feeder. For more information, please refer to www.brother.com/rd/printspeed.
- (iv) Based on ISO/IEC 24735 for models with Automatic Document Feeder only. For more information, please refer to www.brother.com/rd/printspeed.

  Based on ISO/IEC 24735 Annex D.

- (vi) Based on ITU-T Test Chart No 1/MMR.
- (vii) Receiving is for Windows® only. This machine has Wireless Direct (viii) function to connect a machine and a mobile device.

- For printing and scanning from Mac, use AirFrint or download iPrint&Scan #

  Desktop App from Mac App Store. For printing on Brother iPrint&Scan application, it supports PDF/JPG/BMP and PNG file format only. MacOS driver is not provided.
- Not supported on Mac and Linux.

  Available for download at http://support.brother.com.
- (a) Approximate page yield is extrapolated based on Brother original
- Methodology using Test Patterns ISO/IEC 24712.

  For the latest driver updates, visit http://support.brother.com
  - Specific models carry different quantities of ink bottles. Quoted approx. yields are extrapolated based on Brother original methodology using Test Pattern ISO/IEC 24712. Quoted yields are not based on ISO/IEC 24711.
- Size reduction compared to predecessor T720 model.
  For selected models only.

#### **Specifications**

		· Visitify
		U
	DCP-T830DW	MFC-T930DW
unctions	Print, Scan, Copy	Print, Scan, Copy, Fax
GENERAL		
Memory		8MB
Display	1-Line (20 characters)	1.8" Colour LCD
Machine Color COLOUR PRINT FUNCTION	В	lack
Print Speed (ESAT)®	Up to 17.0 ipm (mono	b) and 16.5 ipm (colour)
Print Speed (Eco Mode)	Up to 30.0 ppm (mono) and 26.0 ppm (colour)	
First Print Out Time(ii) (FPOT)	Up to 6.0 sec (mono) and 6.5 sec (colour)	
Print Resolution	Up to 1,200 x 6,000 dpi	
2-Sided Print	Automatic (Up to A4/LTR)	
Borderless Printing	Yes	
COLOUR COPY FUNCTION		
Maximum Copy Size	Up to	A4/LTR
Copy Speed (ESAT/sESAT)		and 10.5 ipm (colour) <sup>(iv)</sup>
Copy Speed (FCOT)(v)	Up to 10.5 sec (mono) and 21.0 sec (colour)	
Copy Resolution	1,200 x	2,400 dpi
Enlargement / Reduction Ratio	25% - 400% in 1% increments	
N in 1 Copy	2-in-1 /2-in-1 (ID) / 4-in-1	
COLOUR SCAN FUNCTION		
Maximum Scan Size		A4/LTR
Scan Resolution	Uptical: Up to 1,200 x 2,400 d Interpolated: Up to 19,200 x 19,200	pi (ADF: Up to 1,200 x 600 dpi) dpi (For Windows 10/11 with TWAIN)
Scan Speed (@ 100 dpi)		sec / 4.38 sec (mono/color)
"Scan To" Feature FAX FUNCTION	Image, OCR, Email, File	Image, OCR, Email, File, USB memory
Maximum Fax Size	NA	A4, LTR, LEGAL (with ADF)
Modem Speed	NA	14.4kbps
Memory Transmission <sup>(vi)</sup> / Out of Paper Reception <sup>(vi)</sup>	NA	Up to 170 pages
Speed Dials	NA	40
Group Dials PC-Fax (Mono)	NA NA	Up to 6 groups Sending & Receiving(***)
CONNECTIVITY/NETWORKING		Containing at 110001111119
Interface		eless Lan (2.4 GHz / 5.0 GHz), Ethernet
Mobile Solutions  Desktop Solutions	Brother Mobile Connect App (for Android/iOS/Harmony OS) , AirPrint (for iOS), Mopria, Brother Print Service Plugin (for Android)  iPrint&Scan Desktop App	
Email Print	<del> </del>	(es
Brother's Cloud Apps	NA	Yes
WebConnect PAPER HANDLING	NA	Yes
Paper Input (Standard Tray)	Up to 150-si	neets (80n/m²)
	Up to 150-sheets (80g/m²)	
Paper Input (Multi-Purpose Tray)	80 Sheets (Plain Paper - 80g/m²) 20 Sheets (Glossy Paper)	
Paper Output	Up to 50-sheets (up to A4)	
Automatic Document Feeder	Up to 20-sheets (80g/m²)	
Paper Handling Sizes (Standard Tray)	A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm/4x6"), Indexcard(127x203mm/5x8"), Photo-2L(127x178mm/5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(89x-127mm/3.5x5"),	
(Ottailualu Hay)	Mexico Legal, India Legal (*HK an	d TWN support B5(JIS)/B6(JIS) too.)
Paper Handling Sizes (Multi-Purpose Tray)	A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm/4x6"), Indexcard (127x203mm/5x8"), Photo-2L(127x178mm/5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(89: 127mm/3.5x5"),  Meyico Legal, India, Legal (*HK and TWN support B5(JIS)/B6(JIS) (bp.) (*I.G.). Folio, Meyico Legal, India, Legal is only page at a time.)	
Media Type (Standard Tray)	Mexico Legal, India Legal (*HK and TWN support B5(JIS)/B6(JIS) too.) (*LGL, Folio, Mexico Legal, India Legal is only page at a time.)  Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-220g/m²]	
Media Type ( Multi-Purpose Tray)	Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-220g/m²]	
SUPPORTED OS AND SOFTWA	ARE	
Supported		
Operating Systems <sup>(xii)</sup>	Windows: 10 / 11 / Server 2016 / 2019 / 2022 , macOS <sup>(ix)</sup> v12/13/14 , Linux OS , Chrome OS , Unity OS , Kylin OS	
Management Tools	BRAdmin Light <sup>∞</sup> , EWS	
SUPPLIES		
	BTD100 BK: Approxim	ate Yield 7,500 A4 pages nate Yield 5,000 A4 pages
Ink Bottle <sup>(xi)</sup>		jooo pagoo
Ink Bottle <sup>(x)</sup> DIMENSIONS [WIDTH X DEPTH Without Carton	H X HEIGHT (WEIGHT)] 435mm x 418mm x 180mm	435mm x 418mm x 180mm
DIMENSIONS [WIDTH X DEPT	H X HEIGHT (WEIGHT)]	





Working with you for a better environment www.brotherearth.com

www.brother.com.sg



One-stop centre for free downloadable templates



Brother strongly recommends the use of genuine Brother consumable products only. Benefits include better quality print, greater yields per consumable, protection of your machine from damages and achievement of optimum performance. As a precaution, please note that your machine warranty may not cover any damages arising from the use of non-genuine consumables.



Microsoft, Windows, the Windows logo and/or other Microsoft products referenced herein are either registered trademarks of Microsoft Corporation in the U.S. and/or other countries. Brother and its logo are trademarks of Brother Industries Ltd., Japan. All specifications are subject to change without notice. All registered trademarks referenced herein are the property of their respective companies. Brother International Corporation, Japan.

All other trademarks are the property of their respective owners. All images are for illustrative purpose only