











Auto 2-Sided Printing



Security Functions







Mobile Printing

Daily documents expressed in incredible hues. Present printouts with vivid accuracy in full detail through Brother's new series of single and multi-functional laser printers. Designed for the modern office and its workflow, each model in the line-up is crafted with rich utilities and productivity functions that enhance daily operations. Experience colour that is true to life, just as your vision sees it.

## **Colours** That Go Beyond



01

#### True to Life


Professional printouts that are vibrantly accurate. Utilising Brother's leading LED technology, colours produced by the HL-L3240CDW are crisp and sharp, with gradients being smooth and natural. Reduce the guesswork and excessive reprints as documents produced are as accurate as how you calibrate them on screen.

02

#### **Meet High Volume Printing Needs**

Print so much more at a fraction of the cost for greater value overall. With Brother's toners, the new HL-L3240CDW offers incredibly efficient print usage rates that reduce the need for frequent replacements. Print costs are averaged out over a longer period of time as well, keeping Total Cost of Ownership (TCO) low.

\* Approximate cartridge yield is declared in accordance with ISO/IEC 19798.





03

#### Fast Prints on Demand

Speed when you need it. Both colour and monochromatic documents print at impressive output speeds on various supported types of media, such as up to 26ppm for A4. Have documents ready in hand on time, as productivity is improved thanks to less time spent waiting.



# Cost & Resource Saving Prints



Auto 2-sided Printing

06

### Up 50% Less Paper To Waste

Up to 50% less paper waste is created while creating documents thanks to automatic 2-sided printing, saving costs in the long run.

#### **Small & Silent**

04

#### Quiet Operations

Print documents quietly with Quiet Mode. Ready Mode can also be used to ensure that it runs silently on while standby.

05

## Compact-Sized for Flexibility

The HL-L3240CDW can be integrated into workflows with ease and flexibility due to its compact size, helping you to improve productivity in any workspace.

## Secure Your Documents With Fuss-Free Connectivity



07

## **Enhanced Sharing**Accessibility

Built-in Wi-Fi/Wireless LAN (2.4GHz/5GHz) and Gigabit Ethernet on the HL-L3240CDW allow for effortless usage sharing of your machine over the same network.



08

## **Connectivity** for Convenience

Print your documents from mobile devices with ease by using the Brother Mobile Connect application\*.

\* The printer and the application must be on the same network to function properly.

09

## Secure Your Important Documents

The Secure Print function ensures documents are not copied or read by unauthorised users without the required four-digit PIN. Unretrieved documents are automatically deleted, saving costs in an environmentally friendly way.



| 0000W ©   | HL-L3240CDW  |
|---|--|
| Key Functions   | Print only   |
| Description   | High Quality Colour Printer with 2-Sided Printing, Wireless and Gigabit Ethernet Connectivity  |
| Print Speed (A4/Letter)   | Up to 26/27 ppm  |
| Print Resolution  | 600 x 600 dpi, 2,400 dpi (600 x 2,400) quality   |
| First Print Out Time (Ready)  | Less than 13.5/13.5 secs (Mono/Color)  |
| 2-Sided Feature   | Automatic 2-Sided Printing   |
| CONNECTIVITY/NETWORKING   |  |
| Interface   | USB 2.0, Gigabit Ethernet (10Base-T/100Base-TX/1000Base-T), Wi-Fi Direct, Wireless Lan (2.4GHz/5.0GHz)   |
| Mobile Solutions  | AirPrint, Mopria and Mobile Connect App  |
| Desktop Solutions   | Brother iPrint&Scan  |
| PAPER HANDLING  |  |
| Input Tray (Standard)   | 250 sheets   |
| Multi-purpose Tray / Manual Slot  | 1 sheet  |
| Output Tray (Face Down)   | 150 sheets Face Down (80g/m²)<br>1 sheet Face-Up (straight paper path)   |
| Media Weights (Standard Tray/MPTray)  | 60 to 163g/m² (16 to 43lb)   |
| Media Size (Standard Tray)  | A4, Letter, Legal, Mexican Legal, India Legal, Executive, A5, A5 Long Edge, A6, JIS B5, A4 Short (270mm), Folio, 16K (195 x 270mm)   |
| OTHERS  |  |
|   |  |
| Processor Speed   | MAIN: Cortex-A53 800MHz<br>Sub: ARM946 133MHz  |
| Processor Speed Memory  |  |
|   | Sub: ARM946 133MHz   |
| Memory  | Sub: ARM946 133MHz           256MB   |
| Memory<br>Display   | Sub: ARM946 133MHz 256MB  16 characters x 1 lines  Windows: Win10, 11 / Server 2012 / 2012R2 / 2016 / 2019 / 2022  |
| Memory Display OS Compability   | Sub: ARM946 133MHz  256MB  16 characters x 1 lines  Windows: Win10, 11 / Server 2012 / 2012R2 / 2016 / 2019 / 2022 Linux: CUPS, LPD/LPRng (x86/x64 environment)  |
| Memory Display OS Compability Utilities & Solutions   | Sub: ARM946 133MHz  256MB  16 characters x 1 lines  Windows: Win10, 11 / Server 2012 / 2012R2 / 2016 / 2019 / 2022 Linux: CUPS, LPD/LPRng (x86/x64 environment)  BRAdmin Light*, BRAdmin Professional 4*, Web Based Management   |
| Memory Display OS Compability Utilities & Solutions Security Features   | Sub: ARM946 133MHz  256MB  16 characters x 1 lines  Windows: Win10, 11 / Server 2012 / 2012R2 / 2016 / 2019 / 2022 Linux: CUPS, LPD/LPRng (x86/x64 environment)  BRAdmin Light*, BRAdmin Professional 4*, Web Based Management  Setting Lock, Secure Function Lock, Secure Print  Printing: Average: Approx. 520W  |
| Memory Display OS Compability Utilities & Solutions Security Features Power Consumption (Printing/Sleep)  | Sub: ARM946 133MHz  256MB  16 characters x 1 lines  Windows: Win10, 11 / Server 2012 / 2012R2 / 2016 / 2019 / 2022 Linux: CUPS, LPD/LPRng (x86/x64 environment)  BRAdmin Light*, BRAdmin Professional 4*, Web Based Management  Setting Lock, Secure Function Lock, Secure Print  Printing: Average: Approx. 520W Sleep mode : Average: Approx. 10W  |
| Memory Display OS Compability Utilities & Solutions Security Features Power Consumption (Printing/Sleep) Power Source   | Sub: ARM946 133MHz  256MB  16 characters x 1 lines  Windows: Win10, 11 / Server 2012 / 2012R2 / 2016 / 2019 / 2022 Linux: CUPS, LPD/LPRng (x86/x64 environment)  BRAdmin Light*, BRAdmin Professional 4*, Web Based Management  Setting Lock, Secure Function Lock, Secure Print  Printing: Average: Approx. 520W Sleep mode: Average: Approx. 10W  220-240 V   AC 50/60Hz   |
| Memory Display OS Compability Utilities & Solutions Security Features Power Consumption (Printing/Sleep) Power Source Noise Level (Printing)  | Sub: ARM946 133MHz  256MB  16 characters x 1 lines  Windows: Win10, 11 / Server 2012 / 2012R2 / 2016 / 2019 / 2022 Linux: CUPS, LPD/LPRng (x86/x64 environment)  BRAdmin Light*, BRAdmin Professional 4*, Web Based Management  Setting Lock, Secure Function Lock, Secure Print  Printing: Average: Approx. 520W Sleep mode: Average: Approx. 10W  220-240 V   AC 50/60Hz   |
| Memory Display OS Compability Utilities & Solutions Security Features Power Consumption (Printing/Sleep) Power Source Noise Level (Printing) SUPPLIES   | Sub: ARM946 133MHz  256MB  16 characters x 1 lines  Windows: Win10, 11 / Server 2012 / 2012R2 / 2016 / 2019 / 2022 Linux: CUPS, LPD/LPRng (x86/x64 environment)  BRAdmin Light*, BRAdmin Professional 4*, Web Based Management  Setting Lock, Secure Function Lock, Secure Print  Printing: Average: Approx. 520W Sleep mode: Average: Approx. 10W  220-240 V   AC 50/60Hz  LpAm = 47 dB(A)  BK: Approx. 1,500 pages   |
| Memory Display OS Compability Utilities & Solutions Security Features Power Consumption (Printing/Sleep) Power Source Noise Level (Printing) SUPPLIES Standard-Yield Toner (TN269)                            | Sub: ARM946 133MHz  256MB  16 characters x 1 lines  Windows: Win10, 11 / Server 2012 / 2012R2 / 2016 / 2019 / 2022 Linux: CUPS, LPD/LPRng (x86/x64 environment)  BRAdmin Light*, BRAdmin Professional 4*, Web Based Management  Setting Lock, Secure Function Lock, Secure Print  Printing: Average: Approx. 520W Sleep mode : Average: Approx. 10W  220-240 V   AC 50/60Hz  LpAm = 47 dB(A)  BK: Approx. 1,500 pages CMY: Approx. 1,200 pages BK: Approx. 3,000 pages   |
| Memory Display OS Compability Utilities & Solutions Security Features Power Consumption (Printing/Sleep) Power Source Noise Level (Printing) SUPPLIES Standard-Yield Toner (TN269) High-Yield Toner (TN269XL) | Sub: ARM946 133MHz  256MB  16 characters x 1 lines  Windows: Win10, 11 / Server 2012 / 2012R2 / 2016 / 2019 / 2022 Linux: CUPS, LPD/LPRng (x86/x64 environment)  BRAdmin Light*, BRAdmin Professional 4*, Web Based Management  Setting Lock, Secure Function Lock, Secure Print  Printing: Average: Approx. 520W Sleep mode: Average: Approx. 10W  220-240 V   AC 50/60Hz  LpAm = 47 dB(A)  BK: Approx. 1,500 pages CMY: Approx. 1,200 pages CMY: Approx. 2,300 pages CMY: Approx. 2,300 pages CMY: Approx. 2,300 pages (MY: Approx. 2,300 pages)  Approx. 20,000 pages (1page/job) |

Weight w/o Carton, w/ toner/drum







15.4 kg

Brother strongly recommends the use of genuine Brother consumable products only. Benefits include better quality print, greater yields per consumable, protection of your machine from damages and achievement of optimum performance. As a precaution, please note that your machine warranty may not cover any damages arising from the use of non-genuine consumables.

www.brotherearth.com

<sup>\*</sup> For Window by download only In accordance with ISO/IEC 19798